

Algemene technische gegevens

Location	
Adres	Theater Bellevue Leidsekade 90 1017 PN Amsterdam
	ph. Technical dep +31205305307 email techniek@theaterbellevue.nl chief techn. Jan Sol Email jan@theaterbellevue.nl
Technicians	Philip Hoekstra, Chris Cournil, Richard Lidth, Lucas de Groen, Ljiljana Keravica
Loading/unloading	
Adres	Leidsekade 90, 1017 PN Amsterdam In front of the theatre we have a zone strictly for loading/unloading. We have NO parking facilities. For loading/unloading for the Kleine Zaal: put the car all the way to the front of the zone. For loading/unloading for the Grote Zaal: put the car at the beginning of the zone.
Dimensions	entrance door to the GZ: 1m02 wide, 2m30 high. Entrance to the GZ through a transportationplatform: 1m25 wide, 2m92 long Entrance door to KZ: 1m18 wide, 1m70 high. Entrance to the stage through a 3-step stairs, less suitable for wheelchairs
Stage	
Grote Zaal	black box, 15m wide, from the front of the stand 11m deep. Line of sight with full stand 2m from the front. The stand can be retracted: depth 20m. There is a backstage area, 8m wide, 6m deep. There are 5 catwalks, connected to 2 catwalks on the sides. Height under the catwalks is 5m95, between the catwalks 8m. Lights can hang at 7m or 8m. Max. load in the catwalks 70kg. Between the last catwalk and the one in front of that there are 4 electrical flybars, manually operated, fixed speed, 10 m long. Also in front of the middle catwalk 1 flybar. Under the catwalks left and right on each side 2 electrical flybars, each 9m, manually operated, fixed speed. Max load of the flybars 250kg, point load 70 kg. Above the catwalks we have a grid covering the whole room, height 8m, from which we can hang stuff. There are 20 electrical hoists there, max load 250kg, manually operated, fixed speed. There is an elevator for reaching the GZ from the lobby
Kleine Zaal	proscenium stage, height 50cm. Dimensions: 9m wide, 5m50 deep. Height on stage 2m or 2m50. There is a bar in the theatrespace where the audience can get beverages before and after the performance. Acces to the room through a corridor and a stair. This stair can be removed to use the wheelchair elevator underneath.
Paloni Zaal	black box, width varies: 11m at the entrance, 5m at the back. Total depth 17m. Height of grid 4m30. This venue can be used in different ways. We use risers to build a stand. Max load of the grid 50kg

Grand piano/piano

Bellevue has a grand piano, Yamaha C7 and a piano, Sauter. Both can be used in alle of the venues, but there will be transportation costs for the grand piano.

Risers

dimensions	number
1m90 x 1m	20
1m50 x 1m	5
1m50 x 0,90	5
1m x 1m	4
1m x 0,90	4

legs 20,30, 60, 90, 120, 150, 180

The risers are mainly used for building a stand in the Paloni Zaal. Consult us if you really need them.

Marley

In the Grote Zaal we have a black and a white marley.

In the Paloni Zaal we have a black and a grey marley.

The Kleine Zaal has a non-removable black marley.

Masking

The Grote Zaal has black curtains on all sides. There is a double curtain in the back in order to hide a projection screen or a cyclorama.

The Grote Zaal has a cyclorama, 10m wide, 6m high

The Kleine Zaal has black curtains at the back of the stage and 2 small legs on each side

The Paloni Zaal has black curtains all around

There are 6 wings, 3m50 high and 2m wide.

Licht

Grote Zaal				
Pc	ADB C101 + barndoors	1000W	10'-65'	36
Fresnel	ADB F101 + barndoors	1000W	13'-59'	12
	ADB F201 + barndoors	2000W		10
Profiel	ADB DW105	1000W	15'-38'	30
	ADB DVW105	1000W	38'-57'	6
	ADB Warp	800W	22'-50'	4
PAR 64		1000W	CP62 med	20
PAR 64		1000W	CP61 narr	12
PAR 64		1000W	CP60 vnarr	8
Cyclorama	Aurora asymm 4x	1250 x 4		5
Volgspot	Pani HV 2002	2000W		1
LED	Robe Robin 1200 LED Wash			8
Lichtcomputer	ETC Ion XE 20			
Dimmers		5kw		36
		3kw		118
Kleine Zaal				
Pc	ADB A56	500W		36
Profiel	ETC SF junior	675W		15
LED	Expolite Tourled			18
Lichtcomputer	ETC Ion XE 20			
Dimmers		2,5kw		85
Paloni Zaal				
Pc	ADB A56	500W		20
Fresnel	ADB THH 1002	1000W		10
Profiel	ETC SF junior	675W		12
PAR 64		1000W	CP62 med	10
LED	Expolite Tourled			10
	Expolite Tourled MC 60 zoom			10
Lichtcomputer	Compulite Spark top			
Dimmers		2,5kw		48
Projectie				
Beamer	Panasonic PTD-4000	4000 ansilumen geen hdmi		1
	Panasonic PT-MZ670	6700 ansilumen laserbeamer		1
	Optoma	2500 ansilumen		3
Schermen	2.40 x 1.80 opzicht	4:3		
	3.20 x 2.40 opzicht	4:3		
	4.80 x 2.70 opzicht	16:9		

Geluid

Grote Zaal			
Zaalsysteem	Meyer CQ1	L/R	2
	Meyer CQ2	extra	2
	Meyer UPA	cluster	2
	Meyer Sub 650	sub	2
Monitor	Sound Projects X-Act		4
Mixer	Allen & Heath SQ5		

Kleine Zaal			
Zaalsysteem	Meyer UPA	L/R	
	Meyer UMS-1P	sub	
Monitor	Sound Projects X-Act		4
Mixer	Behringer X32		

Paloni Zaal			
Zaalsysteem	Sound Projects SP-60	L/R of	2
	EV ZLX – 12P	L/R	2
	EV ELX 118P	sub	1
Monitor	Sound Projects X-Act		2
Mixer	Yamaha O1V 96		

Microphones

For use in all 3 venues of Bellevue we have a wide range of mikes, including 7 wireless sets with different mikes. Please contact us if you have specific needs in this respect.